

# SB-20

secures all devices in-store











**improved stability**  
for larger cameras and tablets



**front projecting**  
alarm speakers



**bayonet lock**  
for easy re-merchandising



**lock-down feature**  
for phones and tablets








**dual protected port**  
for cross merchandising



**redesigned key reader**  
with high sensitivity



**numerous sensors**  
and accessories



**premium accessories**  
for large brands





### Phone and tablet kit

- Angled or flat positioning
- 4Way positioning with magnets
- Added support for tablets
- Claw available - extra mechanical protection



For phones and tablets we made the product more stable by adding an extra part that is removable: an outer ring for the holder. If needed, of course, our symmetrical Claw is available. With an allen key, the product can be locked down. The dual socket allows cross-merchandising and it makes the product 'Smarter'.







### Smartwatch kit

- Universal - for all smartwatches
- Charging available (micro USB)
- Secondary flexible sensor for extra safety
- Cradle allows aesthetic display of watches




The well-known universal watch stand is available for SB-20, too. The cradle can be locked-down, and a secondary flexible sensor assures full protection. The socket can accomodate any short charging cables, for current watches it is mostly micro USB.







### Camera kit (two versions)



- Stability through sensor
- Anti-twist clip (2 sizes)
- 2 sensor type: for small cameras and for DSLRs
- Additional socket for secondary sensor (for example, lens protection)

The all-new camera sensor offers variability: one sensor for smaller cameras, such as expensive MILC devices, and one sensor for larger DSLRs. Both sensors have an extra socket for additional protection or charging.







### COB (connected objects) kit

- Dual socket (default feature)
- Top cover to blend into furnitures
- Any SB-20 cable can be used
- Ideal for cross-merchandising or protecting accessories




The COB kit is not only for securing two display devices at the same time. It is a perfect tool to cross-merchandise your devices.








Components  
phones & tablets







Phone and tablet kit - P0601614

Image	Part #	Description
	P0603209	SB-20 Stand, White
	P0603211	SB-20 Wedge, White
	P0603210	SB-20 Holder

**not included:** cables (see later), PSU



Components  
universal smartwatch





Universal watch kit - P0601615







Image	Part #	Description
	P0603209	SB-20 Stand, White
	P0603221	SB-20 Universal magnetic watch stand

Image	Part #	Description
	P0601565	Universal watch sensor (same as for Smart Recoiler), white
	P0620117	Universal watch secondary flexible sensor
	P0601591	Universal watch sensor shunt plug (if no charging lead is used), white


**not included:** PSU, charging lead (if needed)



Components  
**compact camera**



Components  
**DSLR camera**





Compact Camera kit - P0601616





Image	Part #	Description
	P0603209	SB-20 Stand, White
	P0603222	SB-20 Compact / MILC Sensor

Image	Part #	Description
	P0603219	Camera sensor cable
	P0601591	Shunt plug (if no charging lead is used), white

not included: PSU



DSLR Camera kit - P0601622







Image	Part #	Description
	P0603209	SB-20 Stand, White
	P0603224	SB-20 DSLR Sensor

Image	Part #	Description
	P0603219	Camera sensor cable
	P0603225	Camera lens secondary sensor (lens flexible sensor excluded)
	P0603182	Lens flexible sensor for camera secondary sensor
	P0601591	Shunt plug (if no charging lead is used), white
	P0620126	DSLR sensor adhesive

not included: PSU



COB (Connected Objects) kit - P0601617

Components  
accessories

Top cover  
P0603218

Main unit  
P0603209

Mounting plate  
P0603226















Image	Part #	Description
	P0603209	SB-20 Stand, White
	P0603218	SB-20 Stand top cover

Not shown:  
PSU, sensors, adhesives  
(see next pages)









Cables and sensors I.

Image		Part #	Description
		P0603207	Charging lead - Apple Lightning, white
		P0603213	Charging lead - micro USB, white
		P0603214	Charging lead - USB Type-C, white
		P0603215	COB sensor, white
		P0601598	Apple watch sensor + cable clip



Cables and sensors II.

Image	Part #	Description
	P0601565	Universal watch sensor (same as for Smart Recoiler), white
	P0620117	Universal watch secondary flexible sensor
	P0601591	Shunt plug (if no charging lead is used), white
	P0603219	Camera sensor cable (from unit to camera sensor), white
	P0603225	Camera lens secondary sensor (lens flexible sensor excluded)
	P0603182	Lens flexible sensor for camera secondary sensor







PSUs

Part #	Description
P0603106	PSU USB-A 5.2V/2A - EU plug
P0603195	PSU USB-A 5.2V/2A - AUS plug
P0603194	PSU USB-A 5.2V/2A - UK plug
P0603193	PSU USB-A 5.2V/2A - US plug
P0601600	USB-A power splitter for Apple OEM watch

Adhesives and wipe


Part #	Description
P0620123	SB-20 small holder adhesive (for phones)
P0620122	SB-20 large holder adhesive (for tablets)
P0620121	SB-20 mounting plate adhesive
P0620096	COB sensor adhesive
P0620096	Camera lens secondary sensor adhesive
P0620119	Apple watch sensor adhesive
P0620126	DSLR sensor adhesive
P0601563	Alcohol wipe

Keys and tools

Image	Part #	Description
	P0601593	M2 Allen key (lock-down tool)
	P0603019	Wave key (locking main unit to wedge/mounting plate)
	P0600413	Camera sensor opener
		Shopguard key set



Technical Data



Product Type:

Stand-alone

Mounting Options

Mounting base with adhesive  
Holes for self-tapping screws

Input

110-240 VAC, 50-60Hz 0.3A

Output / Charging Capability

5.2V = 2A

Available Colours

○ White, MOQ for other colour